



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	H	EC OG3C 0826 04	15FEB05	BSV	JLG
	H1	REVISED PER ECO-09-024717	05NOV09	KK	AEG

- 1. TRUE POSITION TOLERANCE OF THE POSTS TIPS APPLIES WHEN THE HEADER IS HELD FLAT AGAINST THE PRINTED CIRCUIT BOARD.
- △2 THE NOTED DIMENSION APPLIES AT THE INTERSECTION OF THE POST AND HOUSING.
- △3 FINISH: 0.000127 [.000005] GOLD ON CONTACT AREA, 0.00254-0.00508 [.000100-.000200] MATTE TIN-LEAD ON SOLDER TAIL ALL OVER 0.00127 [.000050] NICKEL.
- △4 FINISH: 0.000127 [.000005] GOLD ON CONTACT AREA, 0.00254-0.00508 [.000100-.000200] MATTE TIN ON SOLDER TAIL ALL OVER 0.00127 [.000050] NICKEL.
- △5 HIGH TEMPRATURE CONFIGURATION
- △6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



OBSOLETE	△4	△5	NONE	7.21 [.284]	5.08 [.200]	2	3	3	5-146225-3
	△4	△5	2	19.91 [.784]	17.78 [.700]	7	7	8	5-146225-2
	△4	△5	NONE	9.75 [.384]	7.62 [.300]	3	4	4	5-146225-1
OBSOLETE	△3		NONE	7.21 [.284]	5.08 [.200]	2	3	3	146225-3
	△3		2	19.91 [.784]	17.78 [.700]	7	7	8	146225-2
	△3		NONE	9.75 [.384]	7.62 [.300]	3	4	4	146225-1
PLATING	REMARKS	POST OMITTED	C	B	A	NO. OF ACTIVE POSN	NO. OF POSN	ASSEMBLY PART NUMBER	



RECOMMENDED HOLE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN: T. HOFFMAN 3/6/95
 CHK: G.DUBNICZKI 3/15/95
 APVD: G.DUBNICZKI 3/15/95

Tyco Electronics Corporation
 Harrisburg, Pa 17105-3608

NAME: G.DUBNICZKI
 PRODUCT SPEC: APPLICATION SPEC

SIZE: A2 CAGE CODE: 00779 DRAWING NO: C=146225 RESTRICTED TO: -

SCALE: 4:1 SHEET: 1 OF 1 REV: H1

MATERIAL: HOUSING : FLAME RETARDANT THERMOPLASTIC
 COLOR : BLACK
 POSTS : PHOSPHOR BRONZE

FINISH: SEE TABLE

WEIGHT: -

CUSTOMER DRAWING