



Features

- Efficient means of shipping or storing ESD sensitive circuit boards and other items
- For physical protection, foam secures items, minimizing movement and reduces stress from physical shock
- Pink static dissipative foam (1/2" thick, $R_v 10^4 < 10^{11}$ ohms) laminated to top, and conductive crosslink black polyethylene foam (1/4" thick, $R_v < 10^4$ ohms) in bottom (All dimensions are $\pm 1/16$ ")
- Impregnated corrugated static dissipative surface of $10E6- 10E8$ ohms per ANSI/ESD S11.1 and IEC 61340-2-3
- No assembly required
- Custom foam configurations available
- Made in America

Item	Size I.D. - L x W x D	Item	Size I.D. - L x W x D
37000	2-1/2 x 1-1/4 x 1	37009	4-3/8 x 4-3/8 x 1
37008	2-3/4 x 2-3/4 x 1	37002	4-1/2 x 1-1/4 x 1
37001	3-1/2 x 1-1/4 x 1	37010*	4-1/2 x 3-3/4 x 1
37003	3-7/16 x 2-1/8 x 1	37007	5-1/2 x 1-1/2 x 1
37004	3-3/4 x 3-3/4 x 1	37005	7 x 3-1/2 x 1
37006	4-1/8 x 3-1/16 x 1	37011*	12-7/8 x 4 x 1

Note: These are inside Dimensions

* These items made to order

Protektive Pak Impregnated Corrugated Specifications

Properties

Surface Resistance:

Static Shielding:

Typical Values

1 x $10E6$ to $< 1 \times 10E9$ ohms

99.9% attenuation at 10kV; 99.6% attenuation at 30kV

Test Procedures/Method

ANSI/ESD S11.1

EIA 541, appendix E, capacitive probe test

Per Packaging standard ANSI/ESD section 6.2 Outside an EPA "Transportation of sensitive products outside of an EPA shall require packaging that provides:

1. Low charge generation.
2. Dissipative or conductive materials for intimate contact.
3. A structure that provides electrostatic discharge shielding."

Specifications and procedures subject to change without notice



Made in America

PROTEKTIVE PAK

Small Component Shippers

PROTEKTIVE PAK
 13520 MONTE VISTA AVENUE, CHINO, CA 91710
 PHONE (909) 627-2578, FAX (909) 363-7331
ProtektivePak.com

DRAWING NUMBER
 37000

DATE:
 March
 2012