


UXM15P Eval Board

UXM15PE is an evaluation board for the UXM15P DC-15 GHz Programmable Integer-N Prescaler.

Note: Supply voltage must be negative.



Application Notes

If RF inputs/outputs are used in single-ended configuration, terminate unused inputs/outputs with 50 ohm loads.

Use on-board switches to control the divide ratios

Refer to UXM15P datasheet for performance specifications.

Table 1 - Divider Mode Select Logic

SelA	SelB	Mode
0	0	Multi-modulus
1	0	1/8
0	1	1/4
1	1	1/2

Table 2 · Multi-modulus Control Logic

MS1	MS2	MS13	Modulus
0	1	1	1/4
1	1	1	1/5
0	0	1	1/6
1	0	1	1/7
0	0	0	1/8
1	0	0	1/9
X	1	0	Invalid



Microsemi Corporate Headquarters
One Enterprise, Aliso Viejo CA 92656 USA
Within the USA: +1 (800) 713-4113
Outside the USA: +1 (949) 380-6100
Sales: +1 (949) 380-6136
Fax: +1 (949) 215-4996
E-mail: sales.support@microsemi.com

Microsemi Corporation (Nasdaq: MSCC) offers a comprehensive portfolio of semiconductor and system solutions for communications, defense and security, aerospace, and industrial markets. Products include high-performance and radiation-hardened analog mixed-signal integrated circuits, FPGAs, SoCs, and ASICs; power management products; timing and synchronization devices and precise time solutions, setting the world's standard for time; voice processing devices; RF solutions; discrete components; security technologies and scalable anti-tamper products; Power-over-Ethernet ICs and midspans; as well as custom design capabilities and services. Microsemi is headquartered in Aliso Viejo, Calif. and has approximately 3,400 employees globally. Learn more at www.microsemi.com.

© 2014 Microsemi Corporation. All rights reserved. Microsemi and the Microsemi logo are trademarks of Microsemi Corporation. All other trademarks and service marks are the property of their respective owners.